

PARISH OF JEFFERSON

**PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009**



CONTRACT # 55-00015543

PAGE 1

**TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP**

FROM 1/26/2016 TO 1/25/2017

**PO BOX 10455
NEW ORLEANS LA 70181-04**

BID#: 5000114662

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
10	EA	070.08.01125	<p>0001 - FOUR TON PAYLOAD CAPACITY TAG-ALONG LOWBOY TRAILER, 10,730 LBS. GVWR FT L X 74 FT W LOAD DECK PLUS 32 IN FULL WIDTH BEAVERTAIL WITH TWO 45 IN. L X 21 1/2 IN. W ADJUSTABLE, SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 21 IN MAXIMUM DECK HEIGHT 2 IN. NOMINAL OAK DECK MATERIAL, THREE ROTATING D RINGS PER SIDE, DEXTER MULTI-POINT SPRING SUSPENSION WITH EQUALIZER, TANDEM 6,000 LB. AXLETS WITH 12 IN. X 2 IN. ELECTRIC BRAKES TAG-A-LONG LOWBOY TRAILER 4 TON INCLUDING BREAK-A-WAY SYSTEM, FOUR 7.00 X 15D TIRES MOUNTED ON 6 HOLE STEEL DISC WHEELS, 5,000 LB. CAPACITY DROPLEG TOP CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK, 2 5/8 IN. I.D.) WITH DUAL SAFETY CHAINS, FLUSH MOUNTED FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEO-PRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: TTE MANUFACTURER PART #4TTLBT VENDOR PART #SAME</p> <p>ONE (1) YEAR CONTRACT (WITH NO OPTION TO RENEW) FOR A SUPPLY OF TRAILERS FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT</p>	6812.0000	68120.00
10	EA	070.08.01255	<p>0005 - 3 TO 8 TON LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING REMOVAL OF DAMAGED TONGUE TO MATCH ORIGINAL TRAILER TONGUE CONFIGURATION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTMENT TO W EYE OR COUPLER, ELECTRICAL 6-WAY OR 7-WAY WIRE WITH PLUG, SAFETY CHAINS, ETC., TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSY. TO BE SWEPT BLASTED ZINC PHOSPHATE</p>	4620.0000	46200.00

**PHONE: 504-364-2678
FAX: 504-364-2693
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS**

PARISH OF JEFFERSON

**PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009**



CONTRACT # 55-00015543

PAGE 2

**TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP**

FROM 1/26/2016 TO 1/25/2017

**PO BOX 10455
NEW ORLEANS LA 70181-04**

BID#: 5000114662

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			0005 - 3 TO 8 TON LOWBOY MACHINERY PRIMED AND FINISHED PAINTED 5 MILS THICKNESS IMRON TO MATCH ORIGINAL TRAILER COLOR. ***REQUIRES LOUISIANA DEALERS LICENSE*** MANUFACTURER: TTE MANUFACTURER PART #VARIOUS VENDOR PART #SAME	(CONTINUED)	
10	EA	070.08.01260	0006 - 9 TO 12 TON LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING REMOVAL OF DAMAGED TONGUE AND REPLACE MENT WITH 12IN STEEL "H" BEAM TONGUE TO MATCH ORIGINAL TRAILER TONGUE CONFIGURA-TION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTABLE TOW EYE, ELECTRICAL 6-WAY OR 7-WAY WIRE WITH PLUG, AIR BRAKE LINE CONNECTIONS IF PRESENT, SAFETY CHAINS, ETC., TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSEMBLY TO BE SWEPT BLASTED, ZINC PHOSPHATE PRIMED AND FINISHED PAINTED 5 MILS. THICKNESS IMRON TO MATCH ORIGINAL TRAILER COLOR. ***REQUIRES LOUISIANA DEALERS LICENSE*** MANUFACTURER: TTE MANUFACTURER PART #VARIOUS VENDOR PART #SAME	5120.0000	51200.00
10	EA	070.08.00005	0007 - EXTRA HEAVY DUTY MECHANICAL FOLDING GOOSENECK LOWBOY TRAILER, 60 TON CAPACITY CONCENTRATED IN ANY 10FT. 0IN. SECTION, OVERALL DIMENSIONS 8FT. 6IN. WIDE BY 49FT. 2IN. LONG (11FT. 5IN. GOOSENECK, 24FT. 0IN. MAIN LOAD DECK, 13FT. 9IN. REAR DECK) 24IN. LOADED DECK HEIGHT, 6IN. GROUND CLEARANCE, 84IN. SWING CLEARANCE, THREE 25,000 LB. CAPACITY REAR AXLES, AIR RIDE SUSPENSION 16 1/2 IN. X 7 IN. AIR BRAKES, AUTOMA-TIC SLACK ADJUSTERS, NO PARKING BRAKES, ABS SYSTEM, TWELVE 10 STUD HUB PILOTED 8.25 X 22.5 STEEL DISC WHEELS. TWELVE 225/70R22 5 16 PLY LOW PROFILE RADIAL TIRE, 2 IN. KINGPIN, 50 IN. KINGPIN	76836.0000	768360.00

**PHONE: 504-364-2678
FAX: 504-364-2693
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS**

PARISH OF JEFFERSON

**PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009**



CONTRACT # 55-00015543

PAGE 3

**TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP

PO BOX 10455
NEW ORLEANS LA 70181-04**

FROM 1/26/2016 TO 1/25/2017

BID#: 5000114662

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			<p>0007 - EXTRA HEAVY DUTY MECHANICAL HEIGHT. 15 IN. KINGPIN SETTING, FOUR BEAM DESIGN OF 13,000 PSI YIELD FLANGES AND 80,000 LB. PSI WEBS, 2 1/4 IN. APITONG HARDWOOD FLOORING WITH BRIDGE CLIPS AND CARRIAGE FLOORED, TWELVE SWINGING AND REMOVABLE OUT-RIGGERS PER SIDE, ONE D RING ON EACH SIDE OF GOOSE NECK, TWO D RINGS ON EACH SIDE OF READ DECK, FIVE D RINGS ON EACH SIDE OF LOAD DECK, MECHANICAL RAISED AND LOWERED GOOSENECK USING TRUCK WINCH, AIR LOCK LATCHES ON GOOSENECK, PIPE AT FRONT OF GOOSENECK WITH CABLE LUGS FOR PICKUP EYE, LOAD BEARING WHEEL COVERS OVER REAR TIRES AND REAR DECK CENTER. 12 VOLT 7-WAY PLUG, SEALED BEAM LIGHTS, MID-TURN SIGNAL, REAR FLAPS, SANDBLASTED, PRIMED AND FINISHED PAINTED 5 MILS IMRON FLEET WHITE, CONSPICUITY TAPE ON SIDES, OPERATOR MANUAL 25,000 LB. APPROXIMATE EMPTY WITH, FOB FLEET MANAGEMENT, JEFFERSON PARISH, LA</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: HOLDEN MANUFACTURER PART #HMF60 VENDOR PART #SAME</p>	(CONTINUED)	
10	EA	070.08.00000	<p>0008 - ONE-TON PAYLOAD CAPACITY LIGHT DUTY FLATBED TRAILER, 2,990 LBS. GVWR, 6FT. W X 10FT. L LOAD DECK PLUS 48IN. L FULL WIDTH TWO-PIECE FOLDING LOAD RAMP COVERED WITH EXPANDED METAL, 2 IN. A-FRAME BALL COUPLER, 2,000 LB. TOP WIND BOLT-ON JACK, TWO 1/4 IN. SAFETY CHAINS, W/SAFETY LATCH HOOKS, 3 IN. CHANNEL TONGUE, 2 IN. X 3 IN. X 3/16 IN. ANGLE FRAME AND CROSSMEMBERS. 2 IN. PINE DECK. 15 IN HIGH RAILING PERIMETER FABRICATED OF 2 IN. X 2 IN. X 1/8 IN. ANGLES AND 2 3/8 IN. DIAMETER PIPE TOP, RAIL MULTI-LEAK SPRING SUSPENSION, 3,500 LB. CAPACITY EX LUBE AXLE, 15 X 5 WHITE SPOKE 5-BOLT WHEELS, TWO ST205/75R15 IN LOAD RANGE B TIRES, DOT STOP, TURN AND</p>	4037.0000	40370.00

**PHONE: 504-364-2678
FAX: 504-364-2693
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS**

PARISH OF JEFFERSON

**PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009**



CONTRACT # 55-00015543

PAGE 4

**TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP**

FROM 1/26/2016 TO 1/25/2017

**PO BOX 10455
NEW ORLEANS LA 70181-04**

BID#: 5000114662

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			<p>0008 - ONE-TON PAYLOAD CAPACITY LIGHT CLEARANCE LIGHTS, 4-WAY FLAT ELECTRICAL PLUG, ALL WIRING IN LOOM CONDUIT, FINISH PAINTED ACRYLIC ENAMEL RED OR BLACK.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE/ REGISTERED WITH LOUISIANA MOTOR VEHICLE COMMISSION***</p> <p>MANUFACTURER: EAGER BEAVER MANUFACTURER PART #35S-PT VENDOR PART #SAME</p>	(CONTINUED)	
10	EA	070.08.00000	<p>0011 - FIFTEEN-TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 35,900 LB. GVWR, 19IN. L X 8FT. 6IN. W LOAD DECK PLUS 6FT. FULL WIDTH BEAVERTAIL WITH TWO 72IN. L X 22 1/2 W ADJUSTABLE, SPRING-ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 34IN. MAXIMUM UNLOADED DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION, 2IN. NOMINAL OAK DECK MATERIAL, FULL WIDTH 8 IN. STEEL CHANNEL HEADBOARD, FIVE ROTATING D-RINGS PER SIDE, PIECED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH H-9700 MUTLI-POINT SPRING 50,000 LB. SUSPENSION WITH RADIUS ROD AXLE TRACKING, TANDEM 22,500 LB. AXLES WITH ANTI-LOCK AIR BRAKE SYSTEM, 4S2M SENSOR ALL WHEELS, TWO MODULAR VALVES, SPRING BRAKE ON EACH AXLE, EIGHT 215/75R17.5 H STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE PILOTED STEEL DISC WHEELS, 40,000 LB. LIFT CAPACITY TWO-SPEED CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK, 3 IN. I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA, FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF TRAILER FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG, HIGHWAY SAFETY YELLOW COLOR.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: EAGER BEAVER MANUFACTURER PART #15HDB-PT</p>	17737.0000	177370.00

**PHONE: 504-364-2678
FAX: 504-364-2693
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS**

PARISH OF JEFFERSON

**PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009**



CONTRACT # 55-00015543

PAGE 5

**TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP**

FROM 1/26/2016 TO 1/25/2017

**PO BOX 10455
NEW ORLEANS LA 70181-04**

BID#: 5000114662

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
10	EA	070.08.01135	<p>0011 - FIFTEEN-TON PAYLOAD CAPACITY VENDOR PART #SAME</p> <p>0012 - TWENTY-TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 45,900 LB GVWR 19'L X 8'W 6" W LOAD DECK PLUS 6FT. FULL WIDTH BEAVERTAIL WITH TWO 72IN. L X 22 1/2 IN W ADJUSTABLE, SPRINT ASSIST LOADING RAMPS INCLUDING GROUND BRACES 34IN MAXIMUM DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION, 2IN. NORMAL OAK DECK MATERIAL, FULL WIDTH 8" STEEL CHANNEL HEADBOARD, FIVE ROTATING D RINGS PER SIDE, PIECED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH H-9700 MULTI-POINT 55,000 LB. SUSPENSION WITH RADIUS ROD AXLE TRACKING, TANDEM 15,000 LB. AXLES WITH 12 1/4" X 5" ELECTRIC BRAKES INCLUDING BREAK AWAY SYSTEM, EIGHT 215/75R17.5 H STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE HUB PILOTED STEEL DISC WHEELS 40,000 LB. LIFT CAPACITY TWO- SPEED CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK, 3" I.D.) WITH DUAL SAFETY CHAINS, DRAW BAR STORAGE AREA, FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF TRAILER FLUSHED MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG, HIGHWAY SAFETY YELLOW.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: EAGER BEAVER MANUFACTURER PART #20XPT VENDOR PART #SAME</p>	(CONTINUED) 18053.0000	 180530.00
10	EA	070.08.00000	<p>0013 - HEAVY DUTY 60 TON CAPACITY MECHANICAL FOLDING NECK LOWBOY TRAILER, 120,000 LBS. LOAD CAPACITY CONCENTRATED IN ANY 10FT/IN LOAD AREA, MIN. 24FT. 0IN LOAD DECK LENGTH WITH MAXIMUM 49FT. 0IN. OVERALL TRAILER LENGTH, 8 FT. 6 IN. OVERALL WIDTH (NOT INCLUDING SWING BRACKETS) MAXIMUM 24 IN. LOAD DECK HEIGHT AT RATED LOADED CAPACITY WITH</p>	77458.0000	774580.00

**PHONE: 504-364-2678
FAX: 504-364-2693
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS**

PARISH OF JEFFERSON

**PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009**



CONTRACT # 55-00015543

PAGE 6

**TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP**

FROM 1/26/2016 TO 1/25/2017

**PO BOX 10455
NEW ORLEANS LA 70181-04**

BID#: 5000114662

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			<p>0013 - HEAVY DUTY 60 TON CAPACITY MINIMUM 6 IN. GROUND CLEARANCE, MINIMUM 84 IN. SWING CLEARANCE, THREE (3) EA. 25,000 LB. CAPACITY EACH AXLE, 5 IN. ROUND WITH MINIMUM 5/8 IN. WALL THICKNESS, TAPERED SPINDLES, 77IN. TRACK FULL AIR RIDE SUSPENSION WITH 50 IN. AXLE SPREAD, AIR RAISING AND LOWERING VALVE, 16 1/2 IN. X 7 IN. AIR BRAKES (NO PARKING BRAKES), AUTOMATIC SLACK ADJUSTERS, 28 SPLINE, ABS 4S-2M, LOAD BEARING TYPE WHEEL WELLS COVERS OVER REAR TRI-AXLE INCLUDING CENTER AREA BETWEEN TIRES, 10 HOLE STUD (LONG), HUB PILOTED, STEEL, CAST DRUMS, STEMCO OIL SEALS, STEEL DISC. WHEELS, 8.25 X 22.5 TWELVE (12) EA. 255/70R22.5 16PR LOW PROFILE RADIAL TIRES, MINIMUM SIX (6) EA. LASH RINGS PER SIDE, MINIMUM TWELVE (12) EA. OUTRIGGERS PER SIDE TO EXTEND LOAD BED WIDTH, EACH OUTRIGGER TO BE SWING-OUT AND REMOVABLE WITH POSITIVE LATCH IN STORED POSITION, GOOSENECK TO BE FULL WIDTH MECHANICAL FOLDING, RAISE AND LOWER VIA TRUCK WINCH, GOOSENECK TO BE FULL LOAD WIDTH, GOOSENECK LOCKING FULL AIR POWER WITH CONTROL SWITCH, FRONT END PIPE FRONT END WITH CABLE SLING AND APPROACH PLATE, SAE 2 IN. DROP IN KINGPIN AT 15 IN. TO 18 IN. SETTINGS, KINGPIN PLATE HEIGHT TO BE 50 IN. ABOVE LEVEL GROUND, MINIMUM 2 1/4 IN. THICK APITONG HARDWOOD FLOORING, MINIMUM 10 IN CHANNEL CROSSMEMBERS ON 24 IN. CENTERS, FOUR BEAM DESIGN 130,000 PSI YIELD FLANGES AND 80,000 LB. PSI YIELD WEB MAIN BEAMS, TRUCK LIGHT SEALED BEAM WITH MID TURN SIGNAL, 12 VOLT, 7-WAY ELECTRI- CAL PLUG AT FRONT OF TRAILER, 3M CONSPICUITY TAPE, DISCONTINUOUS ON EACH SIDE, OPERATOR AND MAINTENANCE MANUAL WITH ON-SITE DEMONSTRATION UPON DELIVER, SANDBLAST, EPOXY PRIMER, FINISH PAINTED FLEET WHITE POLYURETHANE PAINT TO A THICKNES TO 5 MILS, AIR, ELECTRICAL AND HYDRAULIC LINES TO BE INSTALLED AFTER PAINTING.</p>	(CONTINUED)	

**PHONE: 504-364-2678
FAX: 504-364-2693
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS**

PARISH OF JEFFERSON

**PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009**



CONTRACT # 55-00015543

PAGE 7

**TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP**

FROM 1/26/2016 TO 1/25/2017

**PO BOX 10455
NEW ORLEANS LA 70181-04**

BID#: 5000114662

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			0013 - HEAVY DUTY 60 TON CAPACITY ***REQUIRES LOUISIANA DEALERS LICENSE*** MANUFACTURER: HOLDEN MANUFACTURER PART #HMF60-2 VENDOR PART #SAME	(CONTINUED)	
10	EA	070.08.00005	0014 - HEAVY DUTY HYDRA NECK 35 TON DETACHABLE GOOSENECK LOWBOY TRAILER CAPACITY - 70,000 LBS. TRAILER WEIGHT - 18,700 LBS. DECK WIDTH - 8 FT. 6 INCHES. DECK LENGTH 22 FT. OVERALL LENGTH 44 FT. 5 IN. HEIGHT 24 IN. (LOADED), 80,000 PSI MINIMUM YIELD STEEL MAINFRAME FOUR FABRICATED 16 IN DEEP CAMBERED I-BEAMS, CROSSMEMBERS 10 INCH PIERCED I-BEAMS SPACED AT 24 INCHES, GOOSENECK LENGTH 102 INCHES (SWING CLEARANCE), FIFTH WHEEL HEIGHT STANDARD STANDARD 50 IN, DECKING 2 IN. NOMINAL HARDWOOD, WIRING HARNESS, 7-WAY ATA PLUG FRONT RAMP - FRONT FLIP W/GROUSERS, MAN. RAISE AND LOWER VALVE. HYDRAULICS - WETLINE HOOKUP FOR TRACTOR PTO OPERA- TIONS CONTROLS. CONTROL VALVE EYE LEVEL. 4 INCH RELIEF GOOSENECK. PAINT, PARISH WHITE WITH EAGER BEAVER DECALS, TIRES 275/70R22.5 (H) STEEL BELTED RADIAL, HUBS/WHEELS - SIX DISC TYPE HUBS, TWELVE 8.25 X 22.5 DISC TYPE WHEELS, STEMCO OIL SEALS, HUB PILOTED, SUSPENSION - AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE, AXLE TWO 5 IN. DIAMETER 25,000 LBS. EACH, TIE DOWNS, 7 EA. PER SIDE ROTO RINGS, BRAKES ABS SYSTEM W/SPRING BRAKES FOR PARKING CAST STEEL OUTRIGGERS, 14 HP KOHLER POWER PACK. ***REQUIRES LOUISIANA DEALERS LICENSE*** MANUFACTURER: EAGER BEAVER MANUFACTURER PART #35GSL-S VENDOR PART #SAME	39794.0000	397940.00
10	EA	070.06.00005	0015 - HEAVY DUTY HYDRA NECK 50 TON DETACHABLE GOOSENECK LOWBOY TRAILER CAPACITY 100,000 LBS., TRAILER WEIGHT	49264.0000	492640.00

**PHONE: 504-364-2678
FAX: 504-364-2693
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS**

PARISH OF JEFFERSON

**PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009**



CONTRACT # 55-00015543

PAGE 8

**TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP

PO BOX 10455
NEW ORLEANS LA 70181-04**

FROM 1/26/2016 TO 1/25/2017

BID#: 5000114662

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			<p>0015 - HEAVY DUTY HYDRA NECK 50 TON 20,500 LBS. DECK WIDTH 8 FT. 6 INCHES, DECK LENGTH 24 FT., OVERALL LENGTH 48 FT 6 IN. HEIGHT - 24 INCHES 80,000 PSI MINIMUM YIELD STEEL MAINFRAME, FOUR FABRICATED 16 INCH DEEP CAMBERED I-BEAMS CROSSMEMBERS - 10 INCH PIERCED I-BEAMS SPACED AT 24 INCHES, GOOSENECK LENGTH 102 INCHES (SWING CLEARANCE), FIFTH WHEEL HEIGHT - STANDARD 50 IN. DECKING: 2 IN. NOMINAL HARDWOOD, WIRING HARNESS 7-WAY ATA PLUG, FRONT RAMP - FRONT FLIP W/GROUSERS, MAN. RAISE AND LOWER VALVE, HYDRAULICS - WETLINE HOOK-UP FOR TRACTOR PTO OPERATIONS, CONTROLS - CONTROL VALVE EYE LEVEL, 4 INCH RELIEF GOOSENECK, AIR LIFT 3RD AXLE, PAINT - PARISH WHITE WITH EAGER BEAVER DECALS. TIRES 275/70R22.5 (H) STEEL BELTED RADIAL, HUBS/WHEELS SIX DISC TYPE HUBS. TWELVED 8.25 X 22.5 DISC TYPE WHEELS, STEMCO OIL SEALS, HUB PILOTED, SUSPENSION - AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE, AXLE THREE 5 IN. DIAMETER 25,000 LBS. EACH. TIE DOWNS - 7 EA. PER SIDE ROTO RINGS. BRAKES ABS SYSTEM W/SPRING BRAKES FOR PARKING, CAST STEEL OUTRIGGERS, 14 HP KOHLER POWER PACK.</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: EAGER BEAVER MANUFACTURER PART #50SGL-3 VENDOR PART #SAME</p>	(CONTINUED)	
10	EA	070.08.00005	<p>0016 - HEAVY DUTY HYDRA NECK 55 TON DETACHABLE GOOSENECK LOWBOY TRAILER CAPACITY - 110,000 LBS. TRAILER WEIGHT 22,650 LBS., DECK WIDTH 8 FT. 6 INCHES, DECK LENGTH 25 FT., OVERALL LENGTH 51 FT 2 IN. HEIGHT. HEIGHT 24 IN., 80,000 PSI MINIMUM YIELD STEEL MAINFRAME, FOUR FABRICATED 16 INCH DEEP CAMBERED I-BEAMS CROSSMEMBERS - 10 INCH PIERCED I-10 SPACED AT 24 INCHES, GOOSENECK LENGTH 102 INCHES (SWING CLEARANCE), FIFTH WHEEL HEIGHT - STANDARD 50 IN., DECKING 2 IN. NOMINAL HARDWOOD, WIRING HARNESS</p>	57632.0000	576320.00

**PHONE: 504-364-2678
FAX: 504-364-2693
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS**

PARISH OF JEFFERSON

**PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009**



CONTRACT # 55-00015543

PAGE 9

**TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP**

FROM 1/26/2016 TO 1/25/2017

**PO BOX 10455
NEW ORLEANS LA 70181-04**

BID#: 5000114662

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			<p>0016 - HEAVY DUTY HYDRA NECK 55 TON 7-WAY ATA PLUG, FRONT RAMP - FRONT FLIP W/GROUSERS, MAN. RAISE AND LOWER VALVE, HYDRAULICS - WETLINE HOOK-UP FOR TRACTOR PTO OPERATIONS, CONTROLS - CONTROL VALVE EYE LEVEL, 4 INCH RELIEF GOOSENECK, AIR LIFT 3RD AXLE, PAINT - PARISH WHITE WITH EAGER BEAVER DECALS, TIRES 275/70R22.5 (H) STEEL BELTED RADIAL, HUBS/WHEELS SIX DISC TYPE HUBS, TWELVE 8.25 X 22.5 DISC TYPE WHEELS, STEMCO OIL SEALS, HUB PILOTED, SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE, AXLE THREE 5 IN. DIAMETER 25,000 LBS. EACH, TIE DOWNS - 7 EACH PER SIDE ROTO RINGS, BRAKES - ABS SYSTEM W/SPRING BRAKES FOR PARKING CAST STEEL OUTRIGGERS, 4TH FLIP AXLE 14 HP KOHLER POWER PACK, LOAD BEARING WHEEL COVERS, ALUMINUM WHEELS (OUTSIDE)</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: EAGER BEAVER MANUFACTURER PART #55GSL-3 VENDOR PART #SAME</p>	(CONTINUED)	
10	EA	070.08.00005	<p>0017 - HEAVY DUTY HYDRA NECK 60 TON DETACHABLE GOOSENECK LOWBOY TRAILER CAPACITY - 120,000 LBS., TRAILER WEIGHT 23,250 LBS., DECK WIDTH - 8 FT. 6 IN. DECK LENGTH 25 FT. OVERALL LENGTH 52 FT. HEIGHT 24 IN. 80,000 PSI MINIMUM YIELD STEEL MAINFRAME, FOUR CROSSMEMBERS - 10 INCH PIERCED I-BEAMS SPACED AT 24 INCHES GOOSENECK LENGTH 102 INCHES (SWING CLEARANCE), FIFTH WHEEL HEIGHT - STANDARD 50 IN. DECKING 2 IN. NOMINAL HARDWOOD, WIRING HARNESS, 7-WAY ATA PLUG FRONT RAMP - FRONT FLIP W/GROUSERS, MAN. RAISE AND LOWER VALVE HYDRAULICS, WETLINE HOOK UP FOR TRACTOR PTO OPERATIONS, CONTROL - CONTROL VALVE EYE LEVEL. 4 INCH RELIEF GOOSENECK. AIR LIFT 3RD AXLE, PAINT - PARISH WHITE WITH EAGER BEAVER DECALS. TIRES - 275/70R22.5 (H) STEEL BELTED RADIAL, HUBS/WHEELS SIX DISC TYPE HUBS, TWELVE 8.25 X 22.5</p>	60316.0000	603160.00

**PHONE: 504-364-2678
FAX: 504-364-2693
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS**

PARISH OF JEFFERSON

**PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009**



CONTRACT # 55-00015543

PAGE 10

**TRAILERS
34730
TRUCK & TRANSPORTATION EQUIP

PO BOX 10455
NEW ORLEANS LA 70181-04**

FROM 1/26/2016 TO 1/25/2017

BID#: 5000114662

This order is placed subject to instructions and conditions on reverse hereof

QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	AMOUNT
			<p>0017 - HEAVY DUTY HYDRA NECK 60 TON DISC TYPE WHEELS, STEMCO OIL SEALS, HUB PILOTED, SUSPENSION - AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE, AXLE-THREE 5 IN. DIAMETER 25,000 LBS. EACH, TIE DOWNS - 7 EACH PER SIDE ROTO RINGS. BRAKES - ABS SYSTEM W/SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS, 4TH FLIP AXLE. 14 HP KOHLER POWER PACK, LOAD BEARING WHEEL COVERS, ALUMINUM WHEELS (OUTSIDE).</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: EAGER BEAVER MANUFACTURER PART #60GSL-3 VENDOR PART #SAME</p>	(CONTINUED)	
10	EA	070.06.00005	<p>0018 - HEAVY DUTY DUMP TRAILER - FRAME TYPE TRI-AXLE 30 YARD TRAILER, LENGTH 30 FT. CROSS-SILL - 15 IN. SIDE THICKNESS 250 IN. SUSPENSION-INTRA-AXLE WHEEL TYPE, STEEL BUDD. TIRE SIZE 11R25.5 AND REAR APRON. ONE (1) ELECTRIC TARP RACK NOTE: ALUMNIUM TRAILER</p> <p>***REQUIRES LOUISIANA DEALERS LICENSE***</p> <p>MANUFACTURER: WARREN MANUFACTURER PART #WRDT-AL-TRIAXLE VENDOR PART #SAME</p> <p>**ONE YEAR WARRANTY FROM DATE OF DELIVERY**</p> <p>RESOLUTION #126064, ADOPTED: 12/9/2015 DAPHNE NELSON, BUYER IJ/NMW</p>	53657.0000	536570.00

**PHONE: 504-364-2678
FAX: 504-364-2693
EMAIL: PURCHASING@JEFFPARISH.NET
WEB SITE: WWW.JEFFPARISH.NET/BIDS**